

**IKSOIL<sup>®</sup>**

*Prestazioni Eccellenti per il tuo Motore*



**CATALOGO PRODOTTI**



# SCEGLI IKSOIL PROTEGGI IL MOTORE, PROLUNGA LA DURATA.

Choose Iksoil, protect your engine, extend its lifespan.

Con l'avanzare della tecnologia dei motori, è fondamentale selezionare un olio che si adatti alle specifiche esigenze del veicolo. Alcuni motori richiedono oli sintetici, mentre altri sono più adatti a oli semisintetici o minerali, ciascuno caratterizzato da una diversa viscosità.

La scelta sbagliata di olio potrebbe avere conseguenze negative, e per questo alcuni sistemi motori sono dotati di sensori che monitorano il tipo di olio utilizzato e possono segnalare un eventuale errore. Tuttavia, nonostante l'ampia gamma di oli disponibili sul mercato con diverse formulazioni di additivi e standard di prestazioni, trovare l'olio giusto è in realtà un processo relativamente semplice. L'olio svolge un ruolo fondamentale nel proteggere il motore da usura precoce, surriscaldamento e altri problemi che potrebbero accorciarne la vita. Pertanto, investire nella scelta di un buon olio, che non necessariamente deve essere costoso, rappresenta uno strumento efficace per mantenere il tuo veicolo in viaggio per un periodo più prolungato.

As engine technology advances, selecting an oil that meets your vehicle's specific needs is crucial. Some engines require synthetic oils, while others are better suited to semi-synthetic or mineral oils, each characterized by different viscosities.

Making the wrong oil choice could have negative consequences, which is why some motor systems are equipped with sensors to monitor the oil type and signal any potential errors. However, despite the wide range of oils available on the market with various additive formulations and performance standards, finding the right oil is actually a relatively simple process.

Oil plays a fundamental role in protecting the engine from premature wear, overheating, and other issues that could shorten its lifespan. Therefore, investing in the selection of a good oil, which doesn't necessarily have to be expensive, is an effective way to keep your vehicle on the road for a longer period.



La nostra guida è pensata per aiutarti ad analizzare le diverse opzioni disponibili, in modo da poter fare una scelta informata e prendere cura del motore della tua automobile nel migliore dei modi. Con l'olio adatto, potrai goderti una guida fluida e affidabile, assicurando al contempo la longevità e le prestazioni ottimali del tuo prezioso veicolo.

Our guide is designed to help you analyze the different available options, so you can make an informed choice and take care of your car's engine in the best possible way. With the right oil, you'll be able to enjoy a smooth and reliable drive, while ensuring the longevity and optimal performance of your precious vehicle.



# IKSOIL<sup>®</sup>



**PROTEGGI IL MOTORE  
PROLUNGA LA DURATA**

*Prestazioni Eccellenti per il tuo Motore*

| AUTO                | SPECIFICHE                                                                                                                                          | FORMATO | CODICE |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| ULTRA PLUS 0W-20    | API SN / RC ILSAC GF-5<br>GM Dexos 1 Gen. 2 GM 4718 M                                                                                               | 12X1    | XO100P |
|                     |                                                                                                                                                     | 4X4     | XO100L |
|                     |                                                                                                                                                     | 1X20    | XO100K |
|                     |                                                                                                                                                     | 1X200   | XO100F |
| ULTRA PLUS 10W-60   | API SL<br>MB 229.1<br>VW 502.01 / 505.00<br>FIAT 9.55535-H3                                                                                         | 12X1    | XO101P |
|                     |                                                                                                                                                     | 4X4     | XO101L |
|                     |                                                                                                                                                     | 1X20    | XO101K |
|                     |                                                                                                                                                     | 1X200   | XO101F |
| ULTRA PLUS 0W30 X   | API SN ACEA C3<br>MB 229.31 / 229.5<br>VW 502 00/505.00<br>RENAULT RN0700/RN0710 GM DEXOS 2                                                         | 12X1    | XO102P |
|                     |                                                                                                                                                     | 4X4     | XO102L |
|                     |                                                                                                                                                     | 1X20    | XO102K |
|                     |                                                                                                                                                     | 1X200   | XO102F |
| ULTRA PLUS 5W30 X   | API SN / CF ACEA C3-10<br>MB 229.51<br>VW 504.00 / 507.00 PORSCHE C30<br>BMW LONG LIFE 04                                                           | 12X1    | XO103P |
|                     |                                                                                                                                                     | 4X4     | XO103L |
|                     |                                                                                                                                                     | 1X20    | XO103K |
|                     |                                                                                                                                                     | 1X200   | XO103F |
| ULTRA PLUS 5W30 LS  | API SN / CF ACEA C3<br>MB 229.51 VW 502.00 / 505.00 / 505.01<br>GM DEXOS 2 BMW LONG LIFE 04<br>RENAULT RN0700/RN0710                                | 12X1    | XO104P |
|                     |                                                                                                                                                     | 4X4     | XO104L |
|                     |                                                                                                                                                     | 1X20    | XO104K |
|                     |                                                                                                                                                     | 1X200   | XO104F |
| ULTRA PLUS 5W30 C2  | API SN / CF ACEA C2<br>PSA B71 2290<br>FIAT 9.55535-S1<br>RENAULT RN 0700                                                                           | 12X1    | XO105P |
|                     |                                                                                                                                                     | 4X4     | XO105L |
|                     |                                                                                                                                                     | 1X20    | XO105K |
|                     |                                                                                                                                                     | 1X200   | XO105F |
| ULTRA PLUS 5W30 C4  | API SN / CF ACEA C4<br>RENAULT RN 0720<br>MB 229.51 MB 226.51                                                                                       | 12X1    | XO106P |
|                     |                                                                                                                                                     | 4X4     | XO106L |
|                     |                                                                                                                                                     | 1X20    | XO106K |
|                     |                                                                                                                                                     | 1X200   | XO106F |
| ULTRA PLUS 5W30 GAS | ACEA C3 ACEA A3/B4 API SN/CF<br>MB 229.51<br>VW 502.00 / 505.01<br>BMW LL 04                                                                        | 12X1    | XO107P |
|                     |                                                                                                                                                     | 4X4     | XO107L |
|                     |                                                                                                                                                     | 1X20    | XO107K |
|                     |                                                                                                                                                     | 1X200   | XO107F |
| ULTRA PLUS 5W40 X   | API SN / CF ACEA A3/B3/B4 -C3<br>MB 229.31 / 229.51 FORD WSS-M2C 917-A<br>VW 502.00/505.00/505.01 GM DEXOS 2<br>RN0700/RN0710 BMW LL-04 PORSCHE A40 | 12X1    | XO108P |
|                     |                                                                                                                                                     | 4X4     | XO108L |
|                     |                                                                                                                                                     | 1X20    | XO108K |
|                     |                                                                                                                                                     | 1X200   | XO108F |
| ULTRA PLUS 5W40 GAS | API SN/CF ACEA A3/B3-A3/B4<br>MB 229.3<br>VW 502.00/505.00/505.01<br>RN0700/RN0710 GM-LL-B-025                                                      | 12X1    | XO109P |
|                     |                                                                                                                                                     | 4X4     | XO109L |
|                     |                                                                                                                                                     | 1X20    | XO109K |
|                     |                                                                                                                                                     | 1X200   | XO109F |
| PREMIUM10W40 X      | API SM / CF ACEA A3/B3-A3/B4<br>MB 229.1 BMW LL-01<br>VW 500.00/501.01/505.00                                                                       | 12X1    | XO110P |
|                     |                                                                                                                                                     | 4X4     | XO110L |
|                     |                                                                                                                                                     | 1X20    | XO110K |
|                     |                                                                                                                                                     | 1X200   | XO110F |
| PREMIUM15W40        | API SM / CF ACEA A3/B4<br>MB 229.1<br>VW 501.01/505.00                                                                                              | 12X1    | XO111P |
|                     |                                                                                                                                                     | 4X4     | XO111L |
|                     |                                                                                                                                                     | 1X20    | XO111K |
|                     |                                                                                                                                                     | 1X200   | XO111F |
| PREMIUM 20W50 SF    | API SF / CD<br>VW 501.01/505.00                                                                                                                     | 12X1    | XO112P |
|                     |                                                                                                                                                     | 4X4     | XO112L |
|                     |                                                                                                                                                     | 1X20    | XO112K |
|                     |                                                                                                                                                     | 1X200   | XO112F |

| TRUCK               | SPECIFICHE                                                                                                                                                                                                                                        | FORMATO        | CODICE        |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| HEAVY 5W30          | ACEA E4/E6/E7/E9 API CJ-4 CAT ECF-3 - VOLVO VDS-4<br>RENAULT RLD-3<br>SCANIA L.A. MACK EO-O Premium Plus - MB 228.31/228.51<br>- MAN M3477/M3575/M3271-1 M3677<br>MTU Category 3.1 Cummins Ces20081 DEUTZ DQC<br>IV-10 LA DETROIT DIESEL 93K218   | 12X1           | XO120P        |
|                     |                                                                                                                                                                                                                                                   | 4X4            | XO120L        |
|                     |                                                                                                                                                                                                                                                   | 1X20           | XO120K        |
|                     |                                                                                                                                                                                                                                                   | 1X200          | XO120F        |
| HEAVY 10W40 PLUS    | ACEA E4/E6/E7/E9 API CJ-4 CAT ECF-3 - VOLVO VDS-4<br>RENAULT RLD-3<br>SCANIA L.A. MACK EO-O Premium Plus - MB 228.31/228.51<br>MAN M3477/M3575/M3271-1 VOITH B<br>MTU Category 3.1 Cummins Ces20081 - DEUTZ DQC IV-10<br>LA DETROIT DIESEL 93K218 | 12X1           | XO121P        |
|                     |                                                                                                                                                                                                                                                   | 4X4            | XO121L        |
|                     |                                                                                                                                                                                                                                                   | 1X20           | XO121K        |
|                     |                                                                                                                                                                                                                                                   | 1X200          | XO121F        |
| HEAVY 10W40         | ACEA E4/E5/E7 API CI-4 MB 228.5 - VOLVO VDS-3 - MAN<br>M3277 MTU TYPE 3<br>SCANIA LDF-2 DEUTZ DQC III-10 - RENAULT RXD/RLD-2 -<br>MACK EO-M +<br>DAF EXTENDED DRAIN - CUMMINS CES20077/CES20078                                                   | 12X1           | XO122P        |
|                     |                                                                                                                                                                                                                                                   | 4X4            | XO122L        |
|                     |                                                                                                                                                                                                                                                   | 1X20           | XO122K        |
|                     |                                                                                                                                                                                                                                                   | 1X200          | XO122F        |
| HEAVY 15W40         | ACEA E3/E5/E7 API CI-4 / SL MB 228.3 - VOLVO VDS-3<br>MAN M3275-1 MTU TYPE 2<br>RENAULT RLD-2 MACK EO-M+ - DEUTZ DQC III-10 CAT ECF-<br>1a/ECF-2                                                                                                  | 12X1           | XO123P        |
|                     |                                                                                                                                                                                                                                                   | 4X4            | XO123L        |
|                     |                                                                                                                                                                                                                                                   | 1X20           | XO123K        |
|                     |                                                                                                                                                                                                                                                   | 1X200          | XO123F        |
| HEAVY 10W-30 DAF    | ACEA E4/E6/E7 API CI-4 JASO DH-2 DAF - RENAULT RLD-<br>2 MB 228.51<br>MAN M3477/ M3277-CRT/M3271-1<br>SCANIA Low Ash VOLVO VDS 3                                                                                                                  | 12X1           | XO124P        |
|                     |                                                                                                                                                                                                                                                   | 4X4            | XO124L        |
|                     |                                                                                                                                                                                                                                                   | 1X20           | XO124K        |
|                     |                                                                                                                                                                                                                                                   | 1X200          | XO124F        |
| HEAVY 10W-40 DAF    | ACEA E4/E6/E7 API CI-4/CH-4 MACK EO-N DAF RENAULT<br>RLD-2 MB 228.51<br>MAN M3477/ M3277-CRT/M3271-1<br>SCANIA Low Ash VOLVO VDS 3 VOITH B                                                                                                        | 12X1           | XO125P        |
|                     |                                                                                                                                                                                                                                                   | 4X4            | XO125L        |
|                     |                                                                                                                                                                                                                                                   | 1X20           | XO125K        |
|                     |                                                                                                                                                                                                                                                   | 1X200          | XO125F        |
| HEAVY 15W40 CNG     | ACEA E3 API CG-4 MB 226.9/228.1<br>MAN M3275/ M3271-1<br>RENAULT RGD                                                                                                                                                                              | 12X1           | XO126P        |
|                     |                                                                                                                                                                                                                                                   | 4X4            | XO126L        |
|                     |                                                                                                                                                                                                                                                   | 1X20           | XO126K        |
|                     |                                                                                                                                                                                                                                                   | 1X200          | XO126F        |
| HEAVY 15W40 E9 PLUS | ACEA E9 MB 228.31 MACK EOS 4.5<br>API CK-4<br>VOLVO VDS-4                                                                                                                                                                                         | 12X1           | XO128P        |
|                     |                                                                                                                                                                                                                                                   | 4X4            | XO128L        |
|                     |                                                                                                                                                                                                                                                   | 1X20           | XO128K        |
|                     |                                                                                                                                                                                                                                                   | 1X200          | XO128F        |
| <b>AGRICOLO</b>     | <b>SPECIFICHE</b>                                                                                                                                                                                                                                 | <b>FORMATO</b> | <b>CODICE</b> |
| HD SEA 10W          | CATERPILLAR TO-4<br>ALLISON C-4<br>KOMATSU KES 07.868.1                                                                                                                                                                                           | 0.85 KG        | XO178P        |
|                     |                                                                                                                                                                                                                                                   | 4.5 KG         | XO178L        |
|                     |                                                                                                                                                                                                                                                   | 18 KG          | XO178K        |
|                     |                                                                                                                                                                                                                                                   | 180 KG         | XO178F        |
| <b>TRASMISSIONI</b> | <b>SPECIFICHE</b>                                                                                                                                                                                                                                 | <b>FORMATO</b> | <b>CODICE</b> |
| GEAR 75W80          | API GL-4 MIL-L-2105D<br>ZF TE-ML 06L/08/17A/24A                                                                                                                                                                                                   | 12X1           | XO130P        |
|                     |                                                                                                                                                                                                                                                   | 4X4            | XO130L        |
|                     |                                                                                                                                                                                                                                                   | 1X20           | XO130K        |
|                     |                                                                                                                                                                                                                                                   | 1X200          | XO130F        |
| GEAR 75W90          | API GL-4/GL-5 / MT-1                                                                                                                                                                                                                              | 12X1           | XO131P        |
|                     |                                                                                                                                                                                                                                                   | 4X4            | XO131L        |
|                     |                                                                                                                                                                                                                                                   | 1X20           | XO131K        |
|                     |                                                                                                                                                                                                                                                   | 1X200          | XO131F        |

|                            |                                                                                                                                                                                                                                          |                |               |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|
| GEAR 75W140                | API MT-1/GL-5/GL-4 SAE J2360<br>SCANIA STO 1:0 MACK GO-J<br>MIL-PRF-2105E                                                                                                                                                                | 12X1           | XO132P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO132L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO132K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO132F        |
| GEAR 80W90                 | API GL-5 MIL-L-2105D<br>ZF TE-ML 02B/05A/07A/12E/<br>16A-B-D/17B/19A-B/21A                                                                                                                                                               | 12X1           | XO133P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO133L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO133K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO133F        |
| GEAR 85W140                | API GL-5 MIL-L-2105D<br>ZF TE-ML 05A/12E/16D/17B/19B/21A                                                                                                                                                                                 | 12X1           | XO134P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO134L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO134K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO134F        |
| <b>CAMBI AUTOMATICI</b>    | <b>SPECIFICHE</b>                                                                                                                                                                                                                        | <b>FORMATO</b> | <b>CODICE</b> |
| TRANSMISSION FLUID ATF III | VOITH 55.6336 GM DEXRON III F/G/H - FORD MERCON AL-<br>LISON C-4 VOLVO 97341<br>MB 236.1/236.5/236.7/236.9/236.10 CAT TO-2<br>MAN 339-V1/V2-Z1/Z2<br>ZF TE-ML 02F/03D/04D/11A-B/14B/16L                                                  | 12X1           | XO136P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO136L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO136K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO136F        |
| TRANSMISSION FLUID ATF II  | GM DEXRON IID CAT TO-2 ALLISON C-4<br>MB 236.6 FORD M2C 166H MAN 339 Type Z1/V1<br>ZF TE-ML 04D/11A/14A/17C                                                                                                                              | 12X1           | XO137P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO137L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO137K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO137F        |
| TRANSMISSION FLUID ATF VI  | VOITH 55.6335 GM DEXRON VI - FORD MERCON LV - ALLI-<br>SON C-4 & TES 228<br>TOYOTA T-III/T-IV/ ATF D-II /D-III/ ATF W - JASO M315 Type<br>1A-LV ZF TE-ML 09/11A/11B<br>CHRYSLER ATF +3 / ATF +4 - SUBARU ATF/ATF 5AT/ATF HP<br>/ATF 3314 | 12X1           | XO138P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO138L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO138K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO138F        |
| TRANSMISSION FLUID CVT     | MB 236.20 FORD WSS-M2C928-A<br>BMW 83 22 0 136 376 / 83 22 0 429 154<br>VW TL 521 80 ( G 052 180 ) NISSAN NS-2                                                                                                                           | 12X1           | XO139P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO139L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO139K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO139F        |
| TRANSMISSION FLUID ATF DCT | AUDI VW TL 052 182 / TL 052 529<br>MB 236.21 PORSCHE 999.917.080.00<br>BMW 83222148578 / 83222148579<br>83220440214 / 83222147477                                                                                                        | 12X1           | XO140P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO140L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO140K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO140F        |
| <b>MOTO</b>                | <b>SPECIFICHE</b>                                                                                                                                                                                                                        | <b>FORMATO</b> | <b>CODICE</b> |
| MOTO 4T 10W-50             | API SL JASO MA                                                                                                                                                                                                                           | 12X1           | XO145P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO145L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO145K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO145F        |
| MOTO 4T 10W-40             | API SL JASO MA                                                                                                                                                                                                                           | 12X1           | XO146P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO146L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO146K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO146F        |
| MOTO 2T                    | API TC JASO FC ISO L-EGC                                                                                                                                                                                                                 | 12X1           | XO147P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO147L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO147K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO147F        |
| MOTO TTS                   | API TC JASO FD ISO L-EGD                                                                                                                                                                                                                 | 12X1           | XO148P        |
|                            |                                                                                                                                                                                                                                          | 4X4            | XO148L        |
|                            |                                                                                                                                                                                                                                          | 1X20           | XO148K        |
|                            |                                                                                                                                                                                                                                          | 1X200          | XO148F        |

| IDRAULICO            | SPECIFICHE                                                                                                                                                                                          | FORMATO | CODICE |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| HYDRO 32             | DENISON HF-0 / HF-1 / HF-2<br>ISO L-HM ISO 11158 HM<br>AFNOR NF E 48603 HM                                                                                                                          | 12X1    | XO157P |
|                      |                                                                                                                                                                                                     | 4X4     | XO157L |
|                      |                                                                                                                                                                                                     | 1X20    | XO157K |
|                      |                                                                                                                                                                                                     | 1X200   | XO157F |
| HYDRO 46             | DIN 51521 Part 2 HLP CINCINNATI MACHINE P-70<br>DENISON HF-0 / HF-1 / HF-2 ISO L-HM<br>ISO 11158 HM / 6743-4 HM - AFNOR NF E 48603 HM                                                               | 12X1    | XO158P |
|                      |                                                                                                                                                                                                     | 4X4     | XO158L |
|                      |                                                                                                                                                                                                     | 1X20    | XO158K |
|                      |                                                                                                                                                                                                     | 1X200   | XO158F |
| HYDRO 68             | DIN 51521 Part 2 HLP - CINCINNATI MACHINE P-69<br>DENISON HF-0 / HF-1 / HF-2 ISO L-HM<br>ISO 11158 HM / 6743-4 HM - AFNOR NF E 48603 HM                                                             | 12X1    | XO159P |
|                      |                                                                                                                                                                                                     | 4X4     | XO159L |
|                      |                                                                                                                                                                                                     | 1X20    | XO159K |
|                      |                                                                                                                                                                                                     | 1X200   | XO159F |
| HYDRO 100            | DIN 51524 Part 2 HLP U.S. STEEL 127 / 136<br>G.M. LH-04-1 / LH-06-1 / LH-15-1<br>AFNOR 48-603 HM ISO 11158 HM                                                                                       | 12X1    | XO160P |
|                      |                                                                                                                                                                                                     | 4X4     | XO160L |
|                      |                                                                                                                                                                                                     | 1X20    | XO160K |
|                      |                                                                                                                                                                                                     | 1X200   | XO160F |
| HYDRO PLUS 46 HVI    | DIN 51524 Part 3 HVLP CETOP RP 91 H HV - AISE 127 BS 4231 HSE AFNOR NF E 48603 HV<br>FIVE CINCINNATI P-70 - EATON VICKERS I-286-S / M-2950-S<br>Rexroth RD 90220-01/12.10 DENISON HF-0 ISO 11158 HV | 12X1    | XO161P |
|                      |                                                                                                                                                                                                     | 4X4     | XO161L |
|                      |                                                                                                                                                                                                     | 1X20    | XO161K |
|                      |                                                                                                                                                                                                     | 1X200   | XO161F |
| HYDRO PLUS 68 HVI    | DIN 51524 Part 3 HVLP CETOP RP 91 H HV - AISE 127 BS 4231 HSE AFNOR NF E 48603 HV<br>FIVE CINCINNATI P-70 - EATON VICKERS I-286-S / M-2950-S<br>Rexroth RD 90220-01/12.10 DENISON HF-0 ISO 11158 HV | 12X1    | XO162P |
|                      |                                                                                                                                                                                                     | 4X4     | XO162L |
|                      |                                                                                                                                                                                                     | 1X20    | XO162K |
|                      |                                                                                                                                                                                                     | 1X200   | XO162F |
| ANTIGELO             | SPECIFICHE                                                                                                                                                                                          | FORMATO | CODICE |
| PERMAFREEZ G11 BLU   | MB 325.0 MN 324 NF DEUTZ DQC CA-14<br>VW/AUDI/SEAT/SKODA TL 774 C ( G-11 )<br>AFNOR NFR 15-601 ASTM D3306 / D4985<br>BS 6580 MTU ML 5048                                                            | 12X1    | XO166P |
|                      |                                                                                                                                                                                                     | 4X4     | XO166L |
|                      |                                                                                                                                                                                                     | 1X20    | XO166K |
|                      |                                                                                                                                                                                                     | 1X200   | XO166F |
| PERMAFREEZ G12 ROSSO | MB 325.3 MN 324 NF NATO J 759<br>VW/AUDI/SEAT/SKODA TL 774 D ( G-12 )<br>ASTM D3306 / D4985 RENAULT 41-01-001                                                                                       | 12X1    | XO167P |
|                      |                                                                                                                                                                                                     | 4X4     | XO167L |
|                      |                                                                                                                                                                                                     | 1X20    | XO167K |
|                      |                                                                                                                                                                                                     | 1X200   | XO167F |
| PERMAFREEZ G12+ ROSA | MB 325.3 MN 324 NF MTU ML 5048<br>VW/AUDI/SEAT/S KODA TL 774 D/F( G-12+ )<br>DEUTZ DQC CB-14 AFNOR NFR 15-601                                                                                       | 12X1    | XO168P |
|                      |                                                                                                                                                                                                     | 4X4     | XO168L |
|                      |                                                                                                                                                                                                     | 1X20    | XO168K |
|                      |                                                                                                                                                                                                     | 1X200   | XO168F |
| PERMAFREEZ G13 VIOLA | VW/AUDI/SEAT/SKODA TL 774 J ( G-13 )<br>SAE J1034 ASTM D3306 / D4985                                                                                                                                | 12X1    | XO169P |
|                      |                                                                                                                                                                                                     | 4X4     | XO169L |
|                      |                                                                                                                                                                                                     | 1X20    | XO169K |
|                      |                                                                                                                                                                                                     | 1X200   | XO169F |

| FRENI               | SPECIFICHE          | FORMATO | CODICE    |
|---------------------|---------------------|---------|-----------|
| BRAKE FLUID DOT 5.1 | FMWSS 116 DOT 5.1   | 12X0.9  | XO181P    |
|                     |                     | 4X4     | //        |
|                     |                     | 1X20    | //        |
|                     |                     | 1X200   | //        |
| BRAKE FLUID DOT 4.1 | FMWSS 116 DOT 4     | 12X0.9  | XO182P    |
|                     |                     | 4X4     | //        |
|                     |                     | 1X20    | //        |
|                     |                     | 1X200   | //        |
| BRAKE FLUID DOT 3   | FMWSS 116 DOT 3     | 12X0.9  | XO183P    |
|                     |                     | 4X4     | //        |
|                     |                     | 1X20    | //        |
|                     |                     | 1X200   | //        |
| GRASSI              | SPECIFICHE          | FORMATO | CODICE    |
| LITEX GREASE        | N.L.G.I. 00-0-1-2-3 | 0.85 KG | XO2850.85 |
|                     |                     | 4.5 KG  | XO2854.5  |
|                     |                     | 18 KG   | XO28518   |
|                     |                     | 180 KG  | XO285180  |
| LITEX EP GREASE     | N.L.G.I. 2          | 0.85 KG | XO2860.85 |
|                     |                     | 4.5 KG  | XO2864.5  |
|                     |                     | 18 KG   | XO28618   |
|                     |                     | 180 KG  | XO286180  |
| UNIGREASE           | N.L.G.I. 2          | 0.85 KG | XO2870.85 |
|                     |                     | 4.5 KG  | XO2874.5  |
|                     |                     | 18 KG   | XO28718   |
|                     |                     | 180 KG  | XO287180  |
| OMOGREASE           | N.L.G.I. 0-1-2      | 0.85 KG | XO2880.85 |
|                     |                     | 4.5 KG  | XO2884.5  |
|                     |                     | 18 KG   | XO28818   |
|                     |                     | 180 KG  | XO288180  |





# IKSOIL®

*Prestazioni Eccellenti per il tuo Motore*

DISTRIBUITO DA

 **DIBENEDETTO**



DIBENEDETTO & C.SAS  
Via vecchia Madonna  
dello Sterpeto 29/31  
76121 Barletta (BT) Italy



(+39) 0883 346150



info@dibenedettosas.it



www.dibenedettosas.it



www.e-dibenedettosas.it

